

EPS 6000 UPS MODULES

6000 UPS

EPS 6000 Standard Features		
<ul style="list-style-type: none"> ▶ IGBT/PWM Inverter ▶ Bottom Cable Entry (300/375 kVA) ▶ Top Cable Entry (500 kVA) ▶ Aluminum Transformer (300/375) (Copper Optional) ▶ Single or Dual Input 	<ul style="list-style-type: none"> ▶ Low KVAR Input Filter (500 kVA) ▶ Output Current Distortion <4% ▶ Advanced Battery Management 	<ul style="list-style-type: none"> ▶ Digital Power Quality (DPQ) Management System ▶ Front Access ▶ Copper Transformer (500 kVA)

EPS 6000 300/375 kVA UPS Module - Single Module Configuration						
PART NUMBER	kVA	VOLTAGE IN/OUT	DESCRIPTION	TYPICAL DIMENSIONS (W x H x D)	APPROX WEIGHT (LBS)	LIST PRICE
72-130102-01	300	480/480	300kVA UPS	64"x75x33	5,543	\$ 92,696
72-130087-02						
72-130929-01						
72-130088-01						
85-130394-03						
72-130102-01	300	480/480	300kVA UPS w/ Maintenance Bypass	64"x75x33	5,543	\$ 93,061
72-130087-02						
72-130929-01						
72-130088-01						
85-130394-03						
72-130090-01						
72-130102-01	300	480/480	300kVA UPS w/ Input Isolation Transformer	113"x75x33	Consult	\$ 106,480
72-131532-101					TSG	
72-130087-02						
72-130929-01						
72-130088-01						
85-130394-03						
72-130102-01	300	480/480	300kVA UPS w/ Input Filter	82"x75x33	Consult	\$ 100,576
72-131532-011					TSG	
72-130087-02						
72-130929-01						
72-130088-01						
85-130394-03						
72-130102-01	300	480/480	300kVA UPS w/ M.B. & Input Isolation Transformer	113"x75x33	Consult	\$ 107,072
72-131532-101					TSG	
72-130087-02						
72-130929-01						
72-130088-01						
85-130394-03						
72-130102-01	300	480/480	300kVA UPS w/ M.B. & Input Filter	82"x75x33	Consult	\$ 104,944
72-131532-011					TSG	
72-130090-01						
72-130087-02						
72-130929-01						
72-130088-01						
85-130394-03						

EPS 6000 UPS MODULES

6000 UPS

EPS 6000 300/375 kVA UPS Module - Single Module Configuration						
PART NUMBER	kVA	VOLTAGE IN/OUT	DESCRIPTION	TYPICAL DIMENSIONS (W x H x D)	APPROX WEIGHT (LBS)	LIST PRICE
72-130102-01	300	480/480	300kVA UPS w/ Input Filter & Input Isolation Xfmr	131"x75x33	Consult	\$ 120,925
72-131532-010					TSG	
72-131532-101						
72-130087-02						
72-130929-01						
72-130088-01						
85-130394-03						
72-130102-01	300	480/480	300kVA UPS w/ M.B., Input Iso. Trans. & Input Filter	131"x75x33	Consult	\$ 123,250
72-131532-010					TSG	
72-131532-101						
72-130090-01						
72-130087-02						
72-130929-01						
72-130088-01						
85-130394-03						
72-130102-01	300	480/208	300kVA UPS	113x75x33	8,379	\$ 105,280
72-131531-301						
72-130087-02						
72-130929-01						
72-130088-01						
85-130394-03						
72-130102-01	300	480/208	300kVA UPS w/ Maintenance Bypass	113x75x33	8,379	\$ 109,872
72-131531-301						
72-130090-01						
72-130087-02						
72-130929-01						
72-130088-01						
85-130394-03						
72-130102-01	300	480/208	300kVA UPS w/ Input Isolation Transformer	162x75x33	Consult	\$ 133,425
72-131531-301					TSG	
72-131532-101						
72-130087-02						
72-130929-01						
72-130088-01						
85-130394-03						
72-130102-01	300	480/208	300kVA UPS w/ Input Filter	131x75x33	Consult	\$ 119,435
72-131531-301					TSG	
72-131532-010						
72-130087-02						
72-130929-01						
72-130088-01						
85-130394-03						

EPS 6000 UPS MODULES

6000 UPS

EPS 6000 300/375 kVA UPS Module - Single Module Configuration						
PART NUMBER	kVA	VOLTAGE IN/OUT	DESCRIPTION	TYPICAL DIMENSIONS (W x H x D)	APPROX WEIGHT (LBS)	LIST PRICE
72-130102-01	300	480/208	300kVA UPS w/ M.B. & Input Isolation Transformer	162x75x33	Consult	\$ 135,755
72-131531-301					TSG	
72-131532-101						
72-130090-01						
72-130087-02						
72-130929-01						
72-130088-01						
85-130394-03						
72-130102-01	300	480/208	300kVA UPS w/ M.B. & Input Filter	131x75x33	Consult	\$ 121,765
72-131531-301					TSG	
72-130090-01						
72-131532-010						
72-130087-02						
72-130929-01						
72-130088-01						
85-130394-03						
72-130102-01	300	480/208	300kVA UPS w/ Input Filter & Input Isolation Xfmr	178x75x33	Consult	\$ 147,870
72-131531-301					TSG	
72-131532-010						
72-131532-101						
72-130087-02						
72-130929-01						
72-130088-01						
85-130394-03						
72-130102-01	300	480/208	300kVA UPS w/ M.B., Input Iso. Trans. & Input Filter	178x75x33	Consult	\$ 150,195
72-131531-301					TSG	
72-131532-010						
72-131532-101						
72-130090-01						
72-130087-02						
72-130929-01						
72-130088-01						
85-130394-03						
72-130102-01	300	208/208,	300kVA UPS	162x75x33	9,815	\$ 119,325
72-131531-201		600/600,				
72-131531-401		600/208				
72-130087-02						
72-130929-01						
72-130088-01						
85-130394-03						

EPS 6000 UPS MODULES

6000 UPS

EPS 6000 300/375 kVA UPS Module - Single Module Configuration						
PART NUMBER	kVA	VOLTAGE IN/OUT	DESCRIPTION	TYPICAL DIMENSIONS (W x H x D)	APPROX WEIGHT (LBS)	LIST PRICE
72-130102-01	300	208/208,	300kVA UPS w/ Maintenance Bypass	162x75x33	9,815	\$ 120,960
72-131531-201		600/600,				
72-131531-401		600/208				
72-130090-01						
72-130087-02						
72-130929-01						
72-130088-01						
85-130394-03						
72-130102-01	300	208/208,	300kVA UPS w/ Input Isolation Transformer	210x75x33	Consult	\$ 147,760
72-131531-201		600/600,			TSG	
72-131531-401		600/208				
72-131532-101						
72-130087-02						
72-130929-01						
72-130088-01						
85-130394-03						
72-130102-01	300	208/208,	300kVA UPS w/ Input Filter	180x75x33	Consult	\$ 133,770
72-131532-010		600/600,			TSG	
72-131531-201		600/208				
72-131531-401						
72-130087-02						
72-130929-01						
72-130088-01						
85-130394-03						
72-130102-01	300	208/208,	300kVA UPS w/ M.B. & Input Isolation Transformer	210x75x33	Consult	\$ 150,080
72-131531-201		600/600,			TSG	
72-131531-401		600/208				
72-131532-101						
72-130090-01						
72-130087-02						
72-130929-01						
72-130088-01						
85-130394-03						
72-130102-01	300	208/208,	300kVA UPS w/ M.B. & Input Filter	180x75x33	Consult	\$ 136,095
72-131532-010		600/600,			TSG	
72-130090-01						
72-131531-201						
72-131531-401						
72-130087-02						
72-130929-01						
72-130088-01						
85-130394-03						

EPS 6000 UPS MODULES

6000 UPS

EPS 6000 300/375 kVA UPS Module - Single Module Configuration						
PART NUMBER	kVA	VOLTAGE IN/OUT	DESCRIPTION	TYPICAL DIMENSIONS (W x H x D)	APPROX WEIGHT (LBS)	LIST PRICE
72-130102-01	300	208/208,	300kVA UPS w/ Input Filter & Input Isolation Xfmr	227x75x33	Consult	\$ 162,200
72-131532-010		600/600,			TSG	
72-131532-101		600/208				
72-131531-201						
72-131531-401						
72-130087-02						
72-130929-01						
72-130088-01						
85-130394-03						
72-130102-01	300	208/208,	300kVA UPS w/ M.B., Input Iso. Trans. & Input Filter	227x75x33	Consult	\$ 164,530
72-131532-010		600/600,			TSG	
72-131532-101		600/208				
72-130090-01						
72-131531-201						
72-131531-401						
72-130087-02						
72-130929-01						
72-130088-01						
85-130394-03						
72-130103-01	375	480/480	375kVA UPS	64"x75x33	5,612	\$ 96,219
72-130087-03						
72-130929-01						
72-130088-01						
85-130394-05						
72-130103-01	375	480/480	375kVA UPS w/ Maintenance Bypass	64"x75x33	5,612	\$ 97,899
72-130090-02						
72-130087-03						
72-130929-01						
72-130088-01						
85-130394-05						
72-130103-01	375	480/480	375kVA UPS w/ Input Isolation Transformer	113"x75x33	Consult TSG	\$ 111,870
72-131542-101						
72-130087-03						
72-130929-01						
72-130088-01						
85-130394-05						
72-130103-01	375	480/480	375kVA UPS w/ Input Filter	82"x75x33	Consult TSG	\$ 103,062
72-131542-010						
72-130087-03						
72-130929-01						
72-130088-01						
85-130394-05						

EPS 6000 UPS MODULES

6000 UPS

EPS 6000 300/375 kVA UPS Module - Single Module Configuration						
PART NUMBER	kVA	VOLTAGE IN/OUT	DESCRIPTION	TYPICAL DIMENSIONS (W x H x D)	APPROX WEIGHT (LBS)	LIST PRICE
72-130103-01	375	480/480	375kVA UPS w/ M.B. & Input Isolation Transformer	113*x75x33	Consult TSG	\$ 114,195
72-130090-02						
72-131542-101						
72-130087-03						
72-130929-01						
72-130088-01						
85-130394-05						
72-130103-01	375	480/480	375kVA UPS w/ M.B. & Input Filter	82*x75x33	Consult TSG	\$ 104,742
72-130090-02						
72-131542-010						
72-130087-03						
72-130929-01						
72-130088-01						
85-130394-05						
72-130103-01	375	480/480	375kVA UPS w/ Input Filter & Input Isolation Xfmr	131*x75x33	Consult TSG	\$ 127,410
72-131542-010						
72-131542-101						
72-130087-03						
72-130929-01						
72-130088-01						
85-130394-05						
72-130103-01	375	480/480	375kVA UPS w/ M.B., Input Iso. Trans. & Input Filter	131*x75x33	Consult TSG	\$ 129,735
72-130090-02						
72-131542-101						
72-131542-010						
72-130087-03						
72-130929-01						
72-130088-01						
85-130394-05						
72-130103-01	375	480/208	375kVA UPS	113x75x33	8,836	\$ 111,340
72-131541-301						
72-130087-03						
72-130929-01						
72-130088-01						
85-130394-05						
72-130103-01	375	480/208	375kVA UPS w/ Maintenance Bypass	113x75x33	8,836	\$ 113,665
72-131541-301						
72-130090-02						
72-130087-03						
72-130929-01						
72-130088-01						
85-130394-05						

EPS 6000 UPS MODULES

6000 UPS

EPS 6000 300/375 kVA UPS Module - Single Module Configuration						
PART NUMBER	kVA	VOLTAGE IN/OUT	DESCRIPTION	TYPICAL DIMENSIONS (W x H x D)	APPROX WEIGHT (LBS)	LIST PRICE
72-130103-01	375	480/208	375kVA UPS w/ Input Isolation Transformer	162x75x33	Consult TSG	\$ 141,030
72-131541-301						
72-131542-101						
72-130087-03						
72-130929-01						
72-130088-01						
85-130394-05						
72-130103-01	375	480/208	375kVA UPS w/ Input Filter	131x75x33	Consult TSG	\$ 126,875
72-131541-301						
72-131542-010						
72-130087-03						
72-130929-01						
72-130088-01						
85-130394-05						
72-130103-01	375	480/208	375kVA UPS w/ M.B. & Input Isolation Transformer	162x75x33	Consult TSG	\$ 143,360
72-131541-301						
72-130090-02						
72-131542-101						
72-130087-03						
72-130929-01						
72-130088-01						
85-130394-05						
72-130103-01	375	480/208	375kVA UPS w/ M.B. & Input Filter	131x75x33	Consult TSG	\$ 129,205
72-131541-301						
72-130090-02						
72-131542-010						
72-130087-03						
72-130929-01						
72-130088-01						
85-130394-05						
72-130103-01	375	480/208	375kVA UPS w/ Input Filter & Input Isolation Xfmr	180x75x33	Consult TSG	\$ 156,570
72-131541-301						
72-131542-010						
72-131542-101						
72-130087-03						
72-130929-01						
72-130088-01						
85-130394-05						
72-130103-01	375	480/208	375kVA UPS w/ M.B., Input Iso. Trans. & Input Filter	180x75x33	Consult TSG	\$ 158,890
72-131541-301						
72-130090-01						
72-131542-101						
72-131542-010						
72-130087-03						
72-130929-01						
72-130088-01						
85-130394-05						

EPS 6000 UPS MODULES

6000 UPS

EPS 6000 300/375 kVA UPS Module - Single Module Configuration						
PART NUMBER	kVA	VOLTAGE IN/OUT	DESCRIPTION	TYPICAL DIMENSIONS (W x H x D)	APPROX WEIGHT (LBS)	LIST PRICE
72-130103-01	375	208/208,	375kVA UPS	162x75x33	10,440	\$ 114,800
72-131543-201		600/600,				
72-131543-401		600/208				
72-130087-03						
72-130929-01						
72-130088-01						
85-130394-05						
72-130103-01	375	208/208,	375kVA UPS w/ Maintenance Bypass	162x75x33	10,440	\$ 117,130
72-131543-201		600/600,				
72-131543-401		600/208				
72-130090-02						
72-130087-03						
72-130929-01						
72-130088-01						
85-130394-05						
72-130103-01	375	208/208,	375kVA UPS w/ Input Isolation Transformer	210x75x33	Consult TSG	\$ 144,495
72-131543-201		600/600,				
72-131543-401		600/208				
72-131542-101						
72-130087-03						
72-130929-01						
72-130088-01						
85-130394-05						
72-130103-01	375	208/208,	375kVA UPS w/ Input Filter	180x75x33	Consult TSG	\$ 130,345
72-131543-201		600/600,				
72-131543-401		600/208				
72-131542-010						
72-130087-03						
72-130929-01						
72-130088-01						
85-130394-05						
72-130103-01	375	208/208,	375kVA UPS w/ M.B. & Input Isolation Transformer	210x75x33	Consult TSG	\$ 146,825
72-131543-201		600/600,				
72-131543-401		600/208				
72-130090-02						
72-131542-101						
72-130087-03						
72-130929-01						
72-130088-01						
85-130394-05						
72-130103-01	375	208/208,	375kVA UPS w/ M.B. & Input Filter	180x75x33	Consult TSG	\$ 132,670
72-131543-201		600/600,				
72-131543-401		600/208				
72-130090-02						
72-131542-010						
72-130087-03						
72-130929-01						
72-130088-01						
85-130394-05						

EPS 6000 UPS MODULES

6000 UPS

EPS 6000 300/375 kVA UPS Module - Single Module Configuration						
PART NUMBER	kVA	VOLTAGE IN/OUT	DESCRIPTION	TYPICAL DIMENSIONS (W x H x D)	APPROX WEIGHT (LBS)	LIST PRICE
72-130103-01	375	208/208,	375kVA UPS w/ Input Filter & Input Isolation Xfmr	227x75x33	Consult TSG	\$ 160,035
72-131543-201		600/600,				
72-131543-401		600/208				
72-131542-010						
72-131542-101						
72-130087-03						
72-130929-01						
72-130088-01						
85-130394-05						
72-130103-01	375	208/208,	375kVA UPS w/ M.B., Input Iso. Trans. & Input Filter	227x75x33	Consult TSG	\$ 162,360
72-131543-201		600/600,				
72-131543-401		600/208				
72-130090-02						
72-131542-101						
72-131542-010						
72-130087-03						
72-130929-01						
72-130088-01						
85-130394-05						
72-130104-00	500	480/480	500kVA UPS w/ Input Filter & Maintenance Bypass	113*x75x33	7,211	\$ 128,296
72-130087-03						
85-130686-00						

*Electrical Room version of all 480/480 300-375 kVA models require an additional 18" side cabinet.

EPS 6000 UPS Module Options

Top Cable Entry Cabinet (300/375 kVA Only)

PART NUMBER	kVA	VOLTAGE IN/OUT	DESCRIPTION	TYPICAL DIMENSIONS (W x H x D)	APPROX WEIGHT (LBS)	LIST PRICE
72-131532-001	300/ 375	All	Top Cable Entry Cabinet	Consult TSG	Consult TSG	\$ 7,050

Bottom Cable Entry Cabinet (500 kVA Only)

PART NUMBER	kVA	VOLTAGE IN/OUT	DESCRIPTION	TYPICAL DIMENSIONS (W x H x D)	APPROX WEIGHT (LBS)	LIST PRICE
72-131552-000	500	All	Bottom Cable Entry Cabinet	Consult TSG	Consult TSG	\$ 7,050

Copper Transformer (300/375 kVA) (Standard on 500 kVA)

PART NUMBER	kVA	VOLTAGE IN/OUT	DESCRIPTION	NET ADDER	LIST PRICE
85-130395-03	300	All	Copper Transformer	NET ADDER	\$ 3,200
85-130395-05	375	All	Copper Transformer	NET ADDER	\$ 3,730

**NET ADDER
NOT A LIST PRICE**



NET ADDER

EPS 6000 UPS MODULES

6000 UPS

65 KAIC Circuit Breakers in UPS Module (Standard on 500 kVA)

PART NUMBER	DESCRIPTION	LIST PRICE
72-130087-04	Input Circuit Breaker (225 kVA)	\$ 1,880
72-130087-05	Input Circuit Breaker (300 kVA)	\$ 1,915
72-130087-06	Input Circuit Breaker (375 kVA)	\$ 2,185

Internal Maintenance Bypass - 65 KAIC (Standard on 500 kVA)

PART NUMBER	DESCRIPTION	LIST PRICE
72-130090-03	Internal Maintenance Bypass (225 kVA)	\$ 2,912
72-130090-04	Internal Maintenance Bypass (300 kVA)	\$ 2,921
72-130090-05	Internal Maintenance Bypass (375 kVA)	\$ 2,921

Graphical User Interface (GUI)

PART NUMBER	DESCRIPTION	LIST PRICE
72-134195-00	Standard LCD Display (2 Line)	Standard
72-130929-04	Single Module Graphical User Interface (per module)	\$8,988
85-130120-00	Comm+2 (adds two extra comm ports for a total of three ports - contact MGE Service for retrofits)	\$ 1,680

The Graphical User Interface (GUI) is a 12" color LCD touch screen that is in addition to the standard 2 line LCD.

Critical Bus Synchronization Module

PART NUMBER	DESCRIPTION	LIST PRICE
99-17576-17	Critical Bus Sync. For two individual UPS modules Consult your Power System Manager when quoting Critical Bus Synchronization Systems	PRICE PER UPS MODULE \$ 8,064

Consult Installation Drawing or your Power Systems Manager for Cabinet Dimensions.

Seismic Bracket Kit

DESCRIPTION	LIST PRICE	
71-130370-00	Secures the UPS to surface per seismic specifications (consult local building codes for specific requirements) Price includes four (4) brackets per one (1) cabinet.	\$ 213

EPS 6000 Battery Options

6000 BATTERY

Battery Cabinets - Remote							
PART NUMBER	Runtime at Rated kVA (Minutes at Full Load)			QTY CABINETS	TYPICAL DIMENSIONS PER CABINET (W" x H" x D")	APPROX WEIGHT PER CABINET (LBS)	LIST PRICE
	300 kVA	375 kVA	500 kVA				
72-131302-00	5	-	-	2	50 x 75 x 33	3230	\$27,552
72-131304-00	9	6	-	2	50 x 75 x 33	3910	\$35,616
72-131302-00	10	7	-	3	50 x 75 x 33	3230	\$41,328
72-131305-00	12	7.5	-	2	50 x 75 x 33	5010	\$48,496
72-131304-00	17	12	7	3	50 x 75 x 33	3910	\$53,525
72-131305-00	24	17	9.5	3	50 x 75 x 33	5010	\$72,800
72-131304-00	26	19	12	4	50 x 75 x 33	3910	\$75,040
72-131305-00	37	27	17	4	50 x 75 x 33	5010	\$96,992

Run time in Minutes at Full Load @ 77° F.

Run times are listed at 0.8 load power factor (kW=kVA x 0.8 PF).

Consult drawing # 90-131240-00 for actual weights:

P/N 72-131302-00, 72-131304-00,72-131305-00 = C&D (Dynasty) Battery

P/N 72-131302-10, 72-131304-10,72-131305-10 = GNB Battery

P/N 72-131302-20, 72-131304-20,72-131305-20 = Enersys Battery

External Battery Disconnect - Wall Mount					
PART NUMBER	kVA	DESCRIPTION	TYPICAL DIMENSIONS (W" x H" x D")	MOUNTING	LIST PRICE
72-130146-07	300	Battery Disconnect (700AT)	22 x 53 x 8	Wall	\$3,472
72-130146-08	375	Battery Disconnect (800AT)	22 x 53 x 8	Wall	\$3,696
72-130146-12	500	Battery Disconnect (1200AT)	22 x 53 x 8	Wall	\$4,312

Adjacent Battery Kit (500 kVA ONLY)		
PART NUMBER	DESCRIPTION	LIST PRICE
85-130528-00	Adjacent Battery Kit - 500 kVA ONLY	\$795

Maintenance Bypass / Distribution Options

External Maintenance Bypass, Stand Alone Cabinets - 480 VAC ONLY (65 KAIC)				
PART NUMBER	kVA	DESCRIPTION	TYPICAL DIMENSIONS (W" x H" x D")	LIST PRICE
72-131812-05	300	2 Circuit Breaker MBP with Kirk Key (500A)	22 x 75 x 33	\$ 9,310
72-131812-06	375	2 Circuit Breaker MBP with Kirk Key (500A)	22 x 75 x 33	\$ 9,310
72-131812-08	500	2 Circuit Breaker MBP with Kirk Key (800A)	22 x 75 x 33	\$ 9,825
72-131813-03	225	3 Circuit Breaker MBP with Kirk Key (350A)	22 x 75 x 33	\$ 12,385
72-131813-05	300	3 Circuit Breaker MBP with Kirk Key (500A)	22 x 75 x 33	\$ 12,385
72-131813-06	375	3 Circuit Breaker MBP with Kirk Key (600A)	22 x 75 x 33	\$ 12,385
72-131813-08	500	3 Circuit Breaker MBP with Kirk Key (800A)	22 x 75 x 33	\$ 13,160
72-131813-12	750	3 Circuit Breaker MBP with Kirk Key (1200A)	22 x 75 x 33	\$ 14,725

Distribution Cabinets - Single Module Configuration				
PART NUMBER	kVA	DESCRIPTION	LIST PRICE	
72-131500-001		Distribution Cabinet (top entry)	\$ 7,056	
72-131500-000		Distribution Cabinet (bottom entry)	\$ 7,056	

Distribution Circuit Breakers				
85-131440-01	300-375	1 Circuit Breaker, 125-400 amps, 208 VAC	\$ 1,120	
85-131440-02	300-375	2 Circuit Breaker, 125-400 amps, 208 VAC	\$ 2,218	
85-131440-03	300-375	3 Circuit Breaker, 125-400 amps, 208 VAC	\$ 3,282	
85-131440-04	300-375	4 Circuit Breaker, 125-400 amps, 208 VAC	\$ 4,346	
Consult TSG	300-375	4 Circuit Breaker, 400 amps, 480 VAC	\$ 6,440	
85-131440-21	500	1 Circuit Breaker, 125-400 amps, 480 VAC	\$ 6,630	
85-131440-22	500	2 Circuit Breaker, 125-400 amps, 480 VAC	\$ 7,190	
85-131440-23	500	3 Circuit Breaker, 125-400 amps, 480 VAC	\$ 7,762	
85-131440-24	500	4 Circuit Breaker, 125-400 amps, 480 VAC	\$ 8,210	
85-131440-51	500 @ 65 KAIC	1 Circuit Breaker (65 KAIC), 125-800 amps, 480 VAC	\$ 6,910	
85-131440-52	500 @ 65 KAIC	2 Circuit Breaker (65 KAIC), 125-800 amps, 480 VAC	\$ 7,538	

Communications Options

Communication Card Options (one slot Standard)		
PART NUMBER	DESCRIPTION	LIST PRICE
66069	HV Relay Status Card* : Programmable dry contact card - 6 outputs/2 inputs	\$ 426
85-130120-00	Serial Port Adder (COMM+2) : Adds two additional serial ports (can be used as RS232 or RS485 Modus) to the UPS module allowing the UPS to have a total of three serial ports (one port may be used by GUI). The standard UPS only has one available serial port which may be used by the GUI. GT2Z card and cable included.	\$ 865
66071 66063 66074	Network Management Link : Connect your UPS directly to any Ethernet network for web based status, alerts and management. Includes RS232, U-Talk communications card and Multislot* (factory mounted inside UPS module). **Must order all three part numbers for this option	\$ 1,685
66071 66063	Multislot Communication Card Expander* : Adds three extra comm ports (one spare port is standard). Includes acquisition card (66063).	\$ 896
66060	RS-232 Dual U-Talk Comm Card	\$ 470
66061	Jbus/Modbus Card	\$ 504
	Falcon Web Based Monitoring System <i>Interfaces UPS dry contacts with Internet/Network or dial connection for remote monitoring and alarming by email/pager. Also monitor temperature, humidity, and dry contact status points of other devices.</i>	\$ 3,920
72-130142-00	Remote Alarm Status Panel (RASP) , Surface Mount. HV Status Relay Card Required - SOLD SEPARATELY.	\$ 2,615
20-120100-00	Remote Summary Alarm Panel (RSAP) , Surface Mount. HV Status Relay Card Required - SOLD SEPARATELY.	\$ 2,180

Select a maximum of two communications if system does not include a Multislot.

*Multislot can be mounted inside UPS module at factory.

Consult website for additional information on communications cards:

<http://www.mgeups.com/products/pdt120/software/multislot/html/cards.htm>